Date: 12/07/00

STATEMENT OF WORK (SOW)

For the Repair of the L-3120 Microsequencer CCA

NSN: 5998-01-325-1005 P/N: 247696-100: CAGE: 13973

SOW-03-844-1-8E000B-2/2

- 1. This SOW identifies the work effort that shall be performed by the Contractor to rebuild the L-3120 Microsequencer CCA; NSN 5998-01-325-1005; P/N 247696-100; CAGE 13973.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

HARVEY C. DEARING

Weapon System/Equipment Manager Data Systems Section (Code 844-1) MCLB, Albany GA

GYSGT R. WRIGHT Equipment Specialist Data Systems Section (Code 844-1) MCLB, Albany GA

Inventory Manager Data Systems Section (Code 844-1) MCLB, Albany GA

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	Page
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I (Pre-Induction)	3
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	3
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T)	4
3.3	Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)) 4
3.4	Contractor Furnished Materiel (CFM)	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	4
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Test/Inspection Report	5
4.3	Repairable Item Inspection Report	5
4.4	Monthly Progress Report	5
<u>Appendix</u>		
A	Standard Form 364 (Rev. 2-80)	A-1

STATEMENT OF WORK FOR THE Inspect Repair Only As Necessary (IROAN) of L-3120 Microsequencer CCA (5998-01-325-1005)

P/N: 247696-100; CAGE: 13973

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to IROAN the L-3120 Microsequencer CCA, 5998-01-325-1005; hereafter referred to as the L-3120 MICROSEQUENCER CCA. The L-3120 MICROSEQUENCER CCA, Drawing Number 247696, CAGE 13973, is a component of the Tactical Air Operations Module (TAOM), AN/TYQ-23(V)1. This document contains requirements to restore the L-3120 MICROSEQUENCER CCA to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining."
- **1.1** <u>Background</u>: IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications: The issues of those documents cited below shall be used.

TM-08565A-24P/9 AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

247696 Parts List, L-3120 Microsequencer CCA

247696-720 Test Specifications

247696-750 Test Procedures

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel from the

Federal Supply System

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management

2.3 <u>Industry Standards</u>

JESD625-A Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems-Model for Quality Assurance in Final

Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements

- **3.1** General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the L-3120 MICROSEQUENCER CCA. Upon completion of repairing the subject item it shall be Condition Code "A".
- **3.2** <u>Detail Tasks</u>: The following tasks describe the different phases for repair of the L-3120 MICROSEQUENCER CCA:

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

- **3.2.1** Phase I (Pre-Induction): A pre-induction inspection analysis shall be performed for each L-3120 MICROSEQUENCER CCA within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Bases (844-1), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.
- **3.2.2** Phase II (Repair): After pre-induction tests and inspections have been completed, repair of the L-3120 MICROSEQUENCER CCA shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation:</u> In addition to the documents invoked in Section 3 of this SOW, the Contractor may use the following documents:

247696 Parts List, L-3120 Microsequencer CCA 247696-720 Test Specifications

247696-720 Test Specification 247696-750 Test Procedures

TM-08565A-24P/9 AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

3.2.3 Phase III (Inspection, Testing and Acceptance)

- a. Inspection, Testing and Acceptance of the L-3120 MICROSEQUENCER CCA shall be conducted in accordance with the documents and TM listed in paragraph 3.2.2.b and documentation retained by the manufacturer.
- b. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 844-1), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long-term storage or shipment to overseas destinations shall be in accordance with the level A requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia., Specialized Preservation Code "GX". Items being prepared for domestic shipment and immediate use shall be to level B requirements. All items subject to damage by electrostatic discharge shall be packed into a reusable fast pack container.
 - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM): GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Contractor has GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- **3.4** Contractor Furnished Materiel (CFM): The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- **3.5** Electrostatic Discharge (ESD) Control Program: The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- **3.6 Quality Assurance Provisions:** The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The

Government (MCLBA/Code 844-1) reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

- **3.7** Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps (Code 844-1) representatives shall be permitted to observe the work or to conduct an inspection.
- **3.8** Rejection: Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 844-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- **3.9 Configuration Control:** The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.
- **4.0** Reports: All report deliverables shall be submitted in hard copy to Commander (Code 844-1), Marine Corps Logistics Bases, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, unless directed otherwise in a Contract Data Requirements List.
- **4.1** Pre-Induction Checklist: The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each L-3120 MICROSEQUENCER CCA repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 844-1) Albany, Georgia, within 30 days after final acceptance of the L-3120 MICROSEQUENCER CCA.
- **4.2** <u>Test/Inspection Report</u>: The Contractor shall provide a Test/Inspection for each L-3120 MICROSEQUENCER CCA.
- **4.3** Repairable Item Inspection Report: The Contractor shall provide a Repairable Item Inspection Report for each L-3120 MICROSEQUENCER CCA. The report shall be identified by United States Marine Corps Serial Number.
- **4.4 Monthly Progress Report:** The Contractor shall provide a Monthly Progress Report summarizing the progress and status of the L-3120 MICROSEQUENCER CCA Program.

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments. CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a).

REPORT OF DISCREPANCY (ROD) SHIPPING PACKAG	i	DATE OF PREPARATI	ION	2 REPORT N	2 REPORT NUMBER								
3 TO (Name and Address, Include ZIP Code)						4 FROM (Name and Address, Include ZIP Code)							
5a SHIPPERS NAME	Sh	56 NUMBER AND DATE OF INVOICE Sc. TRANSPORTATION DOCUMENT (GBL. Washill, TCN, etc.)				MENT NUM	BER						
7a SHIPPER'S NUMBER (Purchase Order/Shipmnet, Contract, etc)	7b. OFFICE ADMINISTERING C	CONTRACT			8 REQUISITIONI	ER'S NUMBER <i>(F</i>	Requisition, Pu	rchase Request,					
9 SHIPMENT, I	-		10.	DISCREPANCY DATA			11						
NSN/PART NUMBER AND NOMENCLATURE	UNIT OF ISSUE	QUANTITY SHIPPED: BILLED	QUANTITY RECEIVED	QUAN- TITY	UNIT PRICE	TOTAL COST	CODE						
(a)	(b)	(c)	(d)	(a)	(b)	(c)	(d)						
12 REMARKS (continue on separate sheet of paper if nec	essary)	1				1	<u></u>						

CONDITION OF MATERIAL	MODELLE DE LA PERIODE DE LA PE	
CONDITION OF MATERIAL	PRODUCT QUALITY DEFICIENCIES	
C1 In condition other than that indicated on	Q1 - Deficient material (Applicable to Grant Aid and FMS shipments)	A - Disposition instructions requested (Reply on reverse)
release-receipt document	SHORTAGE OF MATERIAL	1B - Material being retained (See Remarks)
C2 · Expired shelf life	S1 - Quantity less than that on receipt document	tC - Supporting supply documentation requested
C3 - Damaged parcel post shipment	S2 - Quantity less than that requested (Other than unit of issue pack)	 ID - Material still required, expedite shipment (Not
SUPPLY DOCUMENTATION	\$3 - Non-receipt of parcel post shipments	applicable to FMS)
DF - Not received	ITEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log	1E - Local purchase material to be returned at supplier's
D2 - Illegible or mutilated	Books, Operating Handhooks, Special Instructions, etc.)	expense unless disposition instructions to the contrary
D3 - Incomplete, Improper or without authority	T1 - Missing	are received within 15 days (Reply oureverse) (Not
(Only when receipt cannot be properly processed)	T2 - Illegible or Mutilated	applicable to FMS)
MISDIRECTED MATERIAL	T3 - Precauttionary operational markings missing	1F - Replacement shipment requested (Not applicable to
M1 - Addressed to wrong activity	T4 - Inspection data missing or incomplete	FMS)
OVERAGE/DUPLICATE SHIPMENTS	T5 - Serviceability operating data missing or incomplete	1G - Reshipment not required. Item to be re-requisitioned
O1 - Quantity in excess of that on receipt document	To - Warranty data missing	1H - No action required. Information only
O2 - Quantity in excess of that requested (Other than unit of issue pack)	WRONG ITEM (Identify requested item as a separate copy in Item 9.	17. Other action requested (See remarks)
O3 - Quantity duplicate shipment	above)	· ·
PACKING DISCREPANCY	W1 - Incorrect item received	
Pt - Improper preservation	W2 - Unacceptable substitute	
P2 - Improper packing	OTHER DISCREPANCIES	
P3 - Improper Marking	Z.1 - See Remarks	
P4 - Improper unitization		
13 FUNDING AND ACCOUNTING DATA		
The state of the s		
14a TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PR	EPARING OFFICIAL 146. SIGNATURE	
The state of the s	S. M. J. M.	

I. DISCREPANCY CODES

364-103

7540-00-159-4442

15 DISTRIBUTION ADDRESSEES FOR COPIES

(Previous edition is obsolete)

STANDARD FORM 364 (Rev. 2-80) (EG) Prescribed by GSA FPMR 101 20 0

2 ACTION CODES

16 FROM		17 DISTRIBUTION ADDRESSEES FOR DISTRIBUTION					
18 TO ,							
				Use window ent this document. I			
				address, includ	ing ZIP Code,		
				starting one typing the left dot. Each :			
				NOT extend beg	yond right dot.		
				Address must not e space typir			
19 IN ACCORDANC	'E WITH NOTICE OF I	DISCE	REPANCY ON				
a MATERIAL DOCUMENT NUMBER	1						
HAS WILL BE SHIPPED		ъ,		D OF SHIPMENT. RESUBMI OFFICE UNDER	TREPORT		
		1					
c AN ADJUSTMENT IN BILLING CREDIT HAS BEEN/WILL BE PROCESSED	DEBIT	d	INVOICE/B ATTACHE		ROOF OF LIVERY		
		<u></u>					
AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCRE	PANCY WILL NOT BE PROC	ESSED	FOR THE FOLLO	OWING REASON WHICH IS C	TED IN		
THE INDICATED REGULATION							
(1) REASON FOR NOT PROCESSING		(2)		PRESCRIBING REGI	JLATION		
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FI	RAMES ALLOWED			.5 OF THE GSA HANDBOOK ES OR DEFICIENCIES IN GS			
				ITS, MATERIALS, OR BILLIP			
			(11)400 101:200	·)			
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIB OR AGREEMENT INDICATED IN 191(2)	ED IN THE REGULATION			AND/OR 7 OF DOD 4000 25 DARD BILLING SYSTEM	7 M.		
ON AGREEMENT INDICATED IN 17(2)				O/OR DD 1513, U.S. DOD OFF	ER AND		
		<u> </u>					
20 1'HE FOL	LOWING DISPOSITION IS TO) BE M.	ADE OF THE REF	ERENCED MATERIAL	DAYS		
PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b. REPRESENTATIVE DISPOSITION	WILL	CALL FOR DISCU	USSION CONCERNING			
					DAYS		
c. RETAIN MATERIAL AT NO CHARGE	d. MATERIAL WILL	BE PICE	KED UP IN:				
e SHIP MATERIAL Specify location)							
(I) GISL APPROPRIATION CHARGEABLE							
(2) CHARGES COLLECT - VIA: FREIGHT	EXPRESS		PARCEL PO	OST			
(3) PARCEL POST LABEL ATTACHED	(4) FREIGHT PRE	0.110					
TARCEL POST EXBEE ATTACHED	(4) PREIGHT FREI	-,,,,,,,					
f OTHER (Specify)							
	<u> </u>				DATE		
21 IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.	22 REPLACEMENT W			ATERIAL			
23 REMARKS (Continue on separate sheet of paper if necessary).					<u> </u>		
and a second of the second of							
24a TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL.	24b SIGNATURE				24c DATE		

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden astimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the ContractIPR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT C. CATEGORY:				×			
D. SYSTEM/ITEM			E. CONTRACT/PR	TDP TM	F. CONTRA				
L-3120 M	licrosequencer CO	CA	E. CONTRACT/PK	u.	; r. com ina :	101 011			ł
1. DATA ITEM NO.	2. TITLE OF DATA ITEM	155	<u></u>		3. SUBTITLE				
		_							
A001		gress, S	tatus, and Mai	nagement Report		e promining arrier			
4. AUTHORITY (Data Acquisi	ition Document No.) MGMT-80227		5. CONTHACT REFEREN	SOW 4.4		6. REQUIRING OFFICE MCLBA	A (844)		
	9. DIST STATEMENT	10. FREQUENC		12. DATE OF FIRST SUBMISSI		14. DISTRIBUTION			
LT	REQUIRED	N	ITHLY	See Blk 1	.6				
8. APP CODE		11. AS OF DA	TE .	13. DATE OF SUBSEQUENT SUBMISSION	-	a. ADDRESSEE	Draft -	Fin	
10 DEMARKS	Α			See Blk 1	.6	MCT DA (DAA 1)		Reg	Repro
Contractor for	mat is authorized.					MCLBA (844-1)	0	1	0
Blk 4 - Tailor 10.3i, 10.3j, 10	DI-MGMT-80227 0.3k, and 10.3n.	as follo	ws: Delete par	agraphs 10.3g, 10	0.3h,			· -	
Blk 12 - The remonth. Initial s	eporting period sh submission shall b	all be fro e 60 DA	om the first to C.	last business day	of each				
Blk 13 - Subse	quent submissions	shall be	10 days after	the last business	day of				
each month.									<u> </u>
Distribution St	atement A: Appr	oved for	public release	, distribution is u	nlimited.				
							i		
							ļ		
			~				i		
							1		
							-		
							-		
							1		
							+		
							 		<u> </u>
l:									
							+		<u> </u>
							+		
						15. TOTAL	0	·	0
G. PREPARED BY			H. DATE	I. APPROVED E	ВҮ	 	J. DATE		
1.1	0 11194	1	12/11/00	Ala	11101	(Dona	12	////	(27)
DD FORM 1423-	1. AUG 96 (FG)\			REVIOUS EDITION MAY BE	USED.	- Seeing	Page /	of	∠ (∕ Pages

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

(1 Data Item)

Form Approved OMB No. 0704-0188

17. PRICE GROUP

18, ESTIMATED TOTAL PRICE

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and meintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0761-0188), 1215 Jefferson Davis Highway, Sate 1204, Arlington, VA 22202-4902. Respondents should be aware that notwethstanding any other provisions hall be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid DMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:	OTHER	×			
D. SYSTEM/ITEM			E. CONTRACT/PR	TDP TM	F. CONTRA				
L-3120 M	Aicrosequencer Co	CA	E. CONTRACT/FR		r, comme	oron			
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		1		3. SUBTITLE		·		\dashv
1									
B001	Repai	irable Ite	m Inspection I		<u></u>				
4. AUTHORITY (Data Acquisi			5. CONTRACT REFEREN			6. REQUIRING OFFICE	(0.4.4)		
	I-1LSS-80386	SOW 4.3		MLCBA	1 (844)				
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENC	SREQ	12. DATE OF FIRST SUBMISSI See Blk 1		14. DISTRIBUTION			
8. APP CODE		11. AS OF DAT	_	13. DATE OF SUBSEQUENT		* DDBreerr		b. COPIES	
B. ATT CODE	A	11. 23 01 04		SUBMISSION	6	a. ADDRESSEE	Draft	Fin	Repro
16. REMARKS		I		See Blk 1	10	MCLBA (844-1)	0	Reg 1	О
Contractor for	mat is authorized.					MCLBA (644-1)	0	- 1	├─- [∨]
Blk 10 - A sepa	arate report shall	be submi	itted for each l	L-3120 Microsequ	uencer				
CCA repaired.	_							. —	
•	Cubmit somest !	, Marina	Corne Carial !	Number 20 days :	ofter				
completion of	Submit report by each L-3120 Mici	rosequenc	corps serial i	rumoer 30 days a	arter				
	rts shall be provid						\i		<u> </u>
i iii i i iii ii ii ii ii ii ii ii ii i	shan oo provid		·· F).				i		
Distribution St	atement A: Appr	oved for	public release	e, distribution is u	ınlimited.				
	* 1		•						
							<u></u>		
				i					
						ļ			ļ ļ
						<u></u>	4 -		
							i	ļ	
							†		
									<u> </u>
G. PREPARED BY			U DATE	I. APPROVED E		15. TOTAL	J. DATI		0
U. PHEPAREU BY	n 🎍	,	H. DATE	I. APPHUVED E		\sim	J. DATI		- >
Kin /	(M) H	<u>-</u>	12/11/0	· An	1 de les	6 Dlaring	121	11/1	(A
DD FORM 1423	1. AUG 9R (FG)			REVIOUS EDITION MAY BE		~ /	Page	/of	Pages
· • · · · · · · · · · · · · · · · · ·	-, nou segral		•			Designed	using Pertorm		

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defanse, Washington Headquarters Services, Directorate for Information Department of Defanse, Washington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to complex with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. kisted in Block E.

A. CUNTRACT LINE I	ITEM NO.	B. EXHIBIT	ſ	C. CATEGURY:	OTHER	!			
D. SYSTEM/ITEM			E. CONTRACT/PR		F. CONTRA				
	dicrosequencer Co	CA	2,000.000.000						
3. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTIFLE				
B002		Test/Inst	pection Report	S	Nor	Destructive Testing	and Ins	spection	on
4. AUTHORITY (Data Acquis.	ition Document No./		5. CONTRACT REFEREN	ICE		6. REQUIRING OFFICE			
DI-	NDTI-80809B			SOW 4.2		MCLBA	A (844)		
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUEN		12, DATE OF FIRST SUBMISSI		14. DISTRIBUTION			
DD			ASREQ	See Blk 1	.6	_	-	b. COPIES	
8. APP CODE	A	11. AS OF DA	TE ASREQ	13. DATE OF SUBSEQUENT SUBMISSION See Blk 1	6	a. ADDRESSEE	Draft -	Fin Reg	na) Repro
16. REMARKS		I				MCLBA (844-1)	0	1	0
Contractor for	mat is authorized.					DCMAO	0	1	0
Blk 12 - Subm Acceptance Te within 30 days Contractor wit DCMAO.	it test report with esting, DCMAO we of receipt, MCL hin 30 days after	in 30 day vill revie BA will j receipt o	ys after comple w and provide provide accept f recommenda	etion of Production comments to MC tance/nonacceptan ations/comments f	n LBA ice to the rom				
Blk 13 - The C days of receipt receives appro	Contractor shall in t. This review/app val from the Gove	corporatoroval cy ernment.	e any Governr cle shall be re	nent comments w peated until the C	ith 30 ontractor				
Distribution St	atement A: Appr	oved for	public release	e, distribution is u	nlimited				
							- t		-
							ļ <u>!</u>		
							+ +		
									1
									ļ
									<u> </u>
							+		
							-		
						15. TOTAL	0	2	0
G. PREPARED BY			H. DATE	I. APPROVED E	ЗҮ		J. DATI		
Kisha	Cfurt	1	12/11/0	o Ha	men	Dearing	124	11/0	m)
DD FORM 1423	-1, AUG 96 (EG)		P	REVIOUS EDITION MAY BE	USED. 🖊	V	Page	fo	Pages

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0701-0188). 1215 Jetferson Davis Highway, Suite 1204, Arrington, VA 22202-4302. Respondents should be aware that notwrithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

The public reporting burden for information of information is estimated to average 110 hours per response, including instructions, searching existing data sources, gathering and maintaining the data needed, and completed form 110 to 110 t

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT		C. CATEGORY: TOP TM OTHERX						
D. SYSTEM/ITEM L-3120 Microsequencer C		E. CONTRACT/PR NO.			F. CONTRA			1		
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE		17. PRICE GR			
Geo.			D D 11			Configuration Man			•	
COO1	Danimo-1 H- /	Request For Deviation S. CONTRACT REFERENCE						en(18. ESTIMAT
4. AUTHORITY (Data Acquis DI-0	CMAN-80640C		S. LUMIKACI KEFEHEN	SOW 3.9		6. REQUIRING OFFICE MCLBA	(85	1)		TOTAL PR
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUENC	Y	12. DATE OF FIRST SUBMISS	ON	14. DISTRIBUTION	•			
LT	REQUIRED	A	SREQ	SEE BLK	16			b. COPIES		
B. APP CODE	A	11. AS OF DAT	E	13. DATE OF SUBSEQUENT Submission		a ADDRESSEE	Draft	Fii Reg	nal Repro	
16. REMARKS Blk 4 - Contra	ctor format is aut	horized.		•		MCLBA (851-2)	0	1	0	
Blks 10 & 12 - nonconforming documentation	- RFDs shall be so g material which o	ubmitted (does not r	to obtain authoneet prescribe	orization to delive ed configuration	er					
	reviewed and disp Government.									
RFDs shall be mbmatcomcon	transmitted via E figmngmnt@mate	-Mail to t	he following a	address:			· · ·			;
Distribution St	tatement A: Appr	roved for	public release	e, distribution is t	ınlimited					
										·
			T			15. TOTAL	0		0	1
G. PREPARED BY	Swit	1	12/11/0	o FRA		6 Dearing	J. DAT	E -//-	0	